

CLAIMS

It is claimed:

1. A container comprising:
 - an open top,
 - a closed bottom having an aperture located about a central portion thereof,
 - a wall extending between the open top and closed bottom,
 - a conduit in fluid communication with the aperture,
 - a tube connected with the conduit,
 - means of securing the tube adjacent to the wall, and
 - means of preventing a fluid from flowing through the tube.
2. The container according to claim 1 further comprising a handle connected with the wall.
3. The container according to claim 2 further comprising means of maintaining the container upright on a surface.
4. The container according to claim 3 further comprising an opening in the means of maintaining the container upright which is adapted to receive the tube.
5. The container according to claim 4 wherein the means of securing the tube adjacent to the wall includes a clasp connected with the wall.
6. The container according to claim 5 wherein the means of preventing a fluid from flowing through the tube includes a clamp or a plug.

7. The container according to claim 6 wherein the means of preventing a fluid from flowing through the tube is connected with the wall.

8. The container according to claim 1 wherein the means of securing the tube adjacent to the wall and the means of preventing a fluid from flowing through the tube comprise a single member.

9. The container according to claim 1 wherein the conduit forms an angle.

10. The container according to claim 9 wherein the angle is adjustable.

11. A drinking vessel comprising,

an open top, a closed bottom and a wall,

a hole through a central portion of the closed bottom,

a tube in fluid communication with the hole,

means of securing the tube adjacent to the wall, and

means of preventing a fluid from flowing through the tube.

12. The drinking vessel according to claim 11 further comprising a handle connected with the wall.

13. The drinking vessel according to claim 11 further comprising a conduit linking the hole and tube in fluid communication.

14. The drinking vessel according to claim 13 further comprises a rim for maintaining the container upright on a surface.

15. The drinking vessel according to claim 14 further comprising an opening in the rim adapted to receive the tube.

16. The drinking vessel according to claim 15 wherein the means of preventing a fluid from flowing through the tube includes a clamp or a plug.

17. The drinking vessel according to claim 16 wherein the means of securing the tube adjacent to the wall includes a clasp connected with the wall.

18. The container according to claim 11 wherein the means of securing the tube adjacent to the wall and the means of preventing a fluid from flowing through the tube comprise a single member.

19. A cup comprising,
an open top and a closed bottom,
a hole through a central portion of the closed bottom,
a tube in fluid communication with the hole,
means of securing the tube adjacent to the mug, and
means of preventing a fluid from flowing through the tube.

20. The cup according to claim 19 further comprising a substantially L-shaped conduit in fluid communication with the hole wherein the tube is attached to a free end of the L-shaped conduit.

21. The cup according to claim 20 wherein the substantially L-shaped conduit forms an angle that is adjustable.

22. The cup according to claim 21 wherein the means of securing the tube adjacent to the mug and the means of preventing a fluid from flowing through the tube comprise a single member.

23. A method of evacuating a fluid from the cup of claim 18 comprising,

detaching the tube from the means of securing the tube adjacent to the wall,

disengaging the means of preventing a fluid from flowing through the tube from the tube,

placing a free end of the tube in a desired location,

raising the mug to a height sufficient to evacuate the liquid from the container through the free end of the tube.